










































## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 1000	Grünbeige	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1001	Beige	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1002	Sandgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1003	Signalgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1004	Goldgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1011	Braunbeige	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1013	Perlweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1014	Elfenbein	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1015	Hellelfenbein	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 1015	Hellelfenbein	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1017	Safrangelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1018	Zinkgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1019	Graubeige	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1021	Rapsgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1023	Verkehrsgelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1028	Melonengelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1032	Ginstergelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 1033	Dahliengelb	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 2000	Gelborange	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 2001	Rotorange	S 250 GD + Z 275 / ZM 140





















## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 2002	Blutorange	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 2004	Reinorange	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 2008	Hellrotorange	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 2011	Tieforange	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3000	Feuerrot	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 3000	Feuerrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3001	Signalrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3002	Karminrot	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 3002	Karminrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3003	Rubinrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3004	Purpurrot	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 3004	Purpurrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3009	Oxidrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3011	Braunrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3016	Korallenrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 3020	Verkehrsrot	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 3020	Verkehrsrot	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 4006	Verkehrspurpur	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 4010	Telemagenta	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5000	Violettblau	S 250 GD + Z 275 / ZM 140





















## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 5002	Ultramarinblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5002	Ultramarinblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5003	Saphirblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5003	Saphirblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5005	Signalblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5007	Brillantblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5008	Graublau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5009	Azurblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5009	Azurblau	S 250 GD + Z 275 / ZM 140
	0,75x1000	25µ - RAL 5010	Enzianblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5010	Enzianblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5010	Enzianblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5011	Stahlblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5011	Stahlblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5012	Lichtblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5012	Lichtblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5013	Kobaltblau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 5013	Kobaltblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5014	Taubenblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5015	Himmelblau	S 250 GD + Z 275 / ZM 140





















## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	1,00x1250	25µ - RAL 5015	Himmelblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5017	Verkehrsblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5018	Türkisblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5019	Capriblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5021	Wasserblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5022	Nachtblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 5024	Pastellblau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6000	Patinagrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6001	Smaragdgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6002	Laubgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6003	Olivgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6005	Moosgrün	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 6005	Moosgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6009	Tannengrün	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 6009	Tannengrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6011	Resedagrün	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 6011	Resedagrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6013	Schilfgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6016	Türkisgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6017	Maigrün	S 250 GD + Z 275 / ZM 140

## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 6018	Gelbgrün	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 6018	Gelbgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6019	Weißgrün	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 6020	Chromoxidgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6020	Chromoxidgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6021	Blassgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6024	Verkehrsgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6026	Opalgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6028	Kieferngrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 6029	Minzgrün	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 6029	Minzgrün	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7000	Fehgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7001	Silbergrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7001	Silbergrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7002	Olivgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7004	Signalgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7005	Mausgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7006	Beigegrü	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7011	Eisengrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7012	Basaltgrau	S 250 GD + Z 275 / ZM 140





















## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 7015	Schiefergrau	S 250 GD + Z 275 / ZM 140
	0,50x1250	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	0,75x1000	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	0,75x1500	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	1,00x1000	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	1,00x1500	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	1,25x1250	25µ - RAL 7016	Anthrazitgrau	S 320 GD + Z 275 / ZM 130
	1,50x1250	25µ - RAL 7016	Anthrazitgrau	S 320 GD + Z 275 / ZM 130
	2,00x1250	25µ - RAL 7016	Anthrazitgrau	S 320 GD + Z 275 / ZM 130
	0,75x1250	25µ - RAL 7021	Schwarzgrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7021	Schwarzgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7022	Umbragrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7022	Umbragrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7024	Graphitgrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7024	Graphitgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7030	Steingrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7031	Blaugrau	S 250 GD + Z 275 / ZM 140

## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 7032	Kieselgrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7032	Kieselgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7035	Lichtgrau	S 250 GD + Z 275 / ZM 140
	0,75x1500	25µ - RAL 7035	Lichtgrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7035	Lichtgrau	S 250 GD + Z 275 / ZM 140
	1,00x1500	25µ - RAL 7035	Lichtgrau	S 250 GD + Z 275 / ZM 140
	1,50x1250	25µ - RAL 7035	Lichtgrau	S 320 GD + Z 275 / ZM 130
	0,63x1250	25µ - RAL 7036	Platingrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7036	Platingrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7037	Staubgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7038	Achatgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7039	Quarzgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7040	Fenstergrau	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 7040	Fenstergrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7042	Verkehrsgrau A	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7043	Verkehrsgrau B	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7044	Seidengrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7045	Telegrau 1	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7046	Telegrau 2	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 7047	Telegrau 4	S 250 GD + Z 275 / ZM 140

## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 8001	Ockerbraun	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 8004	Kupferbraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8004	Kupferbraun	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 8011	Nussbraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8011	Nussbraun	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 8011	Nussbraun	S 250 GD + Z 275 / ZM 140
	0,50x1250	25µ - RAL 8012	Rotbraun	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 8012	Rotbraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8012	Rotbraun	S 250 GD + Z 275 / ZM 140
	0,75x1500	25µ - RAL 8012	Rotbraun	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 8012	Rotbraun	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 8014	Sepiabraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8014	Sepiabraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8016	Mahagonibraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8017	Schokoladenbraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8019	Graubraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8022	Schwarzbraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 8024	Beigebraun	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9001	Cremeweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9001	Cremeweiß	S 250 GD + Z 275 / ZM 140



## Polyester bandbeschichtet, Trägermaterial verzinkt (25 $\mu$ & 15 $\mu$ )

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,50x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,63x1000	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,63x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,63x1500	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,75x1000	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,75x1500	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,88x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1000	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1500	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,25x1250	25 $\mu$ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,50x1000	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	1,50x1250	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	1,50x1500	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,00x750	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,00x1000	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,00x1250	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,00x1500	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,50x750	25 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130

## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	2,50x1200	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,50x1250	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,50x1500	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	3,00x625	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	3,00x750	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	3,00x900	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	3,00x1000	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	3,00x1250	25µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	0,75x1250	25µ - RAL 9003	Signalweiß	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 9005	Tiefschwarz	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9005	Tiefschwarz	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9005	Tiefschwarz	S 250 GD + Z 275 / ZM 140
	0,63x1000	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	0,63x1250	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	0,75x1000	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	0,75x1500	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	1,00x1000	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	1,00x1500	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140

## Polyester bandbeschichtet, Trägermaterial verzinkt (25 $\mu$ & 15 $\mu$ )

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	1,25x1250	25 $\mu$ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	1,50x1250	25 $\mu$ - RAL 9006	Weißaluminium	S 320 GD + Z 275 / ZM 130
	1,50x1500	25 $\mu$ - RAL 9006	Weißaluminium	S 320 GD + Z 275 / ZM 130
	2,00x1250	25 $\mu$ - RAL 9006	Weißaluminium	S 320 GD + Z 275 / ZM 130
	2,00x1500	25 $\mu$ - RAL 9006	Weißaluminium	S 320 GD + Z 275 / ZM 130
	0,63x1250	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	0,75x1250	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	0,75x1500	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	1,00x1250	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	1,00x1500	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	1,25x1250	25 $\mu$ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	1,50x1250	25 $\mu$ - RAL 9007	Graualuminium	S 320 GD + Z 275 / ZM 130
	1,50x1500	25 $\mu$ - RAL 9007	Graualuminium	S 320 GD + Z 275 / ZM 130
	2,00x1250	25 $\mu$ - RAL 9007	Graualuminium	S 320 GD + Z 275 / ZM 130
	0,63x1000	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	0,63x1250	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	0,75x1000	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	0,75x1500	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	25 $\mu$ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140





## Polyester bandbeschichtet, Trägermaterial verzinkt (25µ & 15µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	1,00x1500	25µ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	1,50x1250	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	1,50x1500	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	2,00x1250	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	2,00x1500	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	3,00x750	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	3,00x1000	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	3,00x1250	25µ - RAL 9010	Reinweiß	S 320 GD + Z 275 / ZM 130
	0,63x1250	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	0,75x1500	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	1,00x1000	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	1,00x1500	25µ - RAL 9016	Verkehrsweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL DB703	Eisenglimmer Grau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9018	Papyrusweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	15µ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	15µ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1500	15µ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,50x1250	15µ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130






## Polyester bandbeschichtet, Trägermaterial verzinkt (25 $\mu$ & 15 $\mu$ )

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	1,50x1500	15 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130
	2,00x1250	15 $\mu$ - RAL 9002	Grauweiß	S 320 GD + Z 275 / ZM 130



## PVDF bandbeschichtet, Trägermaterial verzinkt (25µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1250	25µ - RAL 7016	Anthrazitgrau	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9002	Grauweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9006	Weißaluminium	S 250 GD + Z 275 / ZM 140
	0,75x1250	25µ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140
	1,00x1250	25µ - RAL 9007	Graualuminium	S 250 GD + Z 275 / ZM 140

## Prisma bandbeschichtet, Trägermaterial verzinkt (65µ)


Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,75x1240	65µ - RAL 7016	Anthracite	S 320 GD + ZA 255
	0,75x1240	65µ - RAL 9002	Hamlet	S 320 GD + ZA 255
	0,75x1240	65µ - RAL 9006	Sirius Metallic	S 320 GD + ZA 255
	0,75x1240	65µ - RAL 9007	Orion Metallic	S 320 GD + ZA 255
	0,75x1240	65µ - RAL 9010	White	S 320 GD + ZA 255

## Hart PVC bandbeschichtet, Trägermaterial verzinkt (150µ)

Farbe	Abmessungen	RAL-Tonwert	Farbname	Güte
	0,63x1250	150µ - RAL 9010	Reinweiß	S 250 GD + Z 275 / ZM 140
	0,75x1250	150µ - RAL 9001	Cremeweiß	S 250 GD + Z 275 / ZM 140

## Feuerverzinkt

Abmessungen Güte



0,63x1250 DX 51 D+Z 275

0,75x1250 DX 51 D+Z 275

0,75x1500 DX 51 D+Z 275

1,00x1000 DX 51 D+Z 275

1,00x1250 DX 51 D+Z 275

1,00x1500 DX 51 D+Z 275

1,25x1250 DX 51 D+Z 275

1,50x1000 S 320 GD + Z 275

1,50x1250 S 320 GD + Z 275

1,50x1500 S 320 GD + Z 275

2,00x1000 S 320 GD + Z 275

2,00x1250 S 320 GD + Z 275

2,00x1500 S 320 GD + Z 275

2,50x1250 S 320 GD + Z 275

2,50x1500 S 320 GD + Z 275

3,00x1000 S 320 GD + Z 275

3,00x1250 S 320 GD + Z 275

3,00x1500 S 320 GD + Z 275

2,00x1250 S 390 GD + Z 275

Abmessungen Güte



2,00x1500 S 390 GD + Z 275

2,50x1250 S 390 GD + Z 275

2,50x1500 S 390 GD + Z 275

3,00x1250 S 390 GD + Z 275

3,00x1500 S 390 GD + Z 275

4,00x1250 S 320 GD + Z 275

4,00x1250 S 390 GD + Z 275

4,00x1500 S 320 GD + Z 275

4,00x1500 S 390 GD + Z 275

## Zink-Magnesium

### Abmessungen

### Güte



0,75x1250 S 220 GD + ZM 300 / 310

0,75x1500 S 220 GD + ZM 300 / 310

1,00x1000 S 220 GD + ZM 300 / 310

1,00x1250 S 220 GD + ZM 300 / 310

1,00x1500 S 220 GD + ZM 300 / 310

1,50x1000 S 320 GD + ZM 300 / 310

1,50x1250 S 320 GD + ZM 300 / 310

1,50x1500 S 320 GD + ZM 300 / 310

2,00x1000 S 320 GD + ZM 300 / 310

2,00x1250 S 320 GD + ZM 300 / 310

2,00x1500 S 320 GD + ZM 300 / 310

3,00x1000 S 390 GD + ZM 300 / 310

3,00x1250 S 320 GD + ZM 300 / 310

3,00x1250 S 390 GD + ZM 300 / 310

3,00x1500 S 320 GD + ZM 300 / 310

3,00x1500 S 390 GD + ZM 300 / 310